

THE PHYSICAL TOLL OF DIGITAL OVERLOAD ON STUDENTS: A REVIEW OF IMPACTS ON OCULAR HEALTH, POSTURE, AND SLEEP QUALITY

Kelvin Dawandakpoye Onajite, ADJOGRI¹, Michael Uche, IKPADE²

¹Department of Computer Science, Delta Central Polytechnic (former Delta Central College of Business and Management Studies), Delta State, Nigeria

²Department of Computer Science, Delta Central Polytechnic (former Delta Central College of Business and Management Studies), Delta State, Nigeria

*Corresponding Author: adjogri@gmail.com

ABSTRACT: The ubiquitous integration of digital devices in education, social interaction, and entertainment has led to unprecedented screen time among students globally. While offering numerous benefits, prolonged digital engagement, termed "digital overload," is increasingly recognized for its adverse physical health implications. This comprehensive review aims to synthesize current literature on the specific physical health consequences of digital overload in students, focusing on eyesight, musculoskeletal health (posture), and sleep quality. A systematic search of peer-reviewed literature was conducted across databases (e.g., PubMed, Scopus, Web of Science) using keywords related to digital overload, screen time, students, ocular health, posture, musculoskeletal pain, and sleep. The review found a significant prevalence of Digital Eye Strain (DES)/Computer Vision Syndrome (CVS), exacerbation of myopia progression, and dry eye symptoms among students due to digital overload. Additionally, increased incidence of neck and upper back pain ("text neck"), poor posture, and other musculoskeletal discomforts were reported. Disruption of circadian rhythms due to blue light exposure was also found to lead to delayed sleep onset, reduced sleep duration, fragmented sleep, and overall poor sleep quality. Digital overload poses a significant and multifaceted physical health challenge for the student population. Understanding these impacts is crucial for developing effective preventative strategies and interventions by individuals, parents, educators, and policymakers to mitigate the long-term health consequences and foster healthier digital habits. By recognizing the physical toll of digital overload, we can work towards creating a healthier and more sustainable digital environment for students, promoting overall well-being and academic success.

KEYWORDS: Digital overload, screen time, students, adolescents, young adults, ocular health, digital eye strain, myopia, posture, musculoskeletal pain, text neck, sleep quality, sleep deprivation, circadian rhythm, physical health.

I. INTRODUCTION

In contemporary educational settings, digital devices—smartphones, tablets, and laptops—have become virtually inseparable from the daily routines of students across all levels of schooling (Husna, & Dora, 2025). Their integration extends beyond simple communication, encompassing e-learning platforms, research tools, social networking, and a myriad of entertainment options. Recent surveys reveal that elementary school children in the United States now average more than four hours of screen exposure per day, while university students frequently exceed nine hours, often blending academic tasks with leisure activities on the same device (Ahmad, 2024; Hemal et al., 2024). This ubiquity has prompted scholars to distinguish "digital overload" from ordinary screen use. Digital overload refers to excessive, continuous, or poorly managed engagement with digital media, characterized by prolonged exposure without adequate breaks, multitasking across multiple screens, and an inability to self-regulate usage (Mazumdar, 2025). While digital tools can enrich learning experiences, the overload construct emphasizes the boundary where beneficial interaction turns detrimental, especially when it encroaches on physical well-being.

The growing prevalence of digital overload has sparked concern among healthcare professionals, educators, and parents who observe an alarming rise in physical health complaints among students (Jarar & Salim, 2024). Historically, the narrative surrounding excessive device use has centered on cognitive and psychological sequelae such as stress, addiction, and fear of missing out (FOMO) (George et al., 2024). However, physical health

consequences—particularly those affecting ocular, musculoskeletal, and sleep domains—have received comparatively less attention, despite evidence suggesting they may compromise academic performance and overall quality of life. For instance, increased near work demands and reduced blink rates are linked to a surge in myopia incidence and digital eye strain symptoms, including dryness, irritation, and blurred vision. Simultaneously, prolonged sitting and forward head posture adopted during screen use have been associated with neck, shoulder, and lower back discomfort, as well as long-term postural deviations that may persist into adulthood (Goswami et al., 2024). Sleep disturbances represent another critical facet: exposure to blue light emissions from screens, especially during evening hours, disrupts circadian rhythms by suppressing melatonin production, resulting in delayed sleep onset, reduced total sleep time, and poorer sleep quality (Haghani et al., 2024). It is critical to note, however, that much of the anxiety surrounding blue light focuses on its hypothesized direct photochemical toxicity on the retina; this finding remains highly contentious, with many studies—often relying on animal models or high-intensity exposure—failing to replicate damage at the luminance levels typical of consumer electronics. This clear methodological split indicates that the primary established risk of screen-emitted blue light is endocrinological (circadian disruption), rather than retinal damage. These interconnected physical effects not only diminish students’ immediate well-being but also jeopardize cognitive functioning, concentration, and ultimately academic achievement (Anokha & Kachhi, 2025). Given the breadth of the issue, this review narrows its focus to three interrelated physical health outcomes—ocular health, musculoskeletal health, and sleep quality—within the student population ranging from elementary to university levels. By synthesizing current empirical findings, the review aims to illuminate how digital overload manifests across different age groups, highlight gaps in the literature, and propose evidence-based recommendations for stakeholders. The analysis begins with an examination of ocular consequences, exploring prevalence rates of digital eye strain and myopia progression in relation to screen duration and viewing habits. It then transitions to musculoskeletal implications, detailing postural adaptations, ergonomic risk factors, and the prevalence of neck and back pain among students engaged in prolonged device use. Finally, the review addresses sleep disruptions, evaluating the role of blue light exposure, bedtime device practices, and the cumulative impact on circadian health. Throughout, in-text citations will be retained to trace the scholarly foundation of each claim, ensuring that readers can locate the original sources for deeper investigation. By presenting a consolidated yet nuanced portrait of the physical toll exacted by digital overload, this review seeks to inform policy development, pedagogical strategies, and health promotion interventions that balance the undeniable benefits of digital learning with the imperative to safeguard student health.

II. UNDERSTANDING DIGITAL OVERLOAD AND STUDENT DEMOGRAPHICS

A. Operational Definition of Digital Overload

Digital overload is best captured through a dual lens approach that combines measurable exposure with the lived experience of device-driven compulsion.

Table 1: Quantitative and Qualitative Dimensions of Digital Overload

Dimension	Key Indicators	Representative Sources
Quantitative	(a). Screen time volume – total hours per day (average 7–9 h for college students; 4–6 h for high schoolers) (Rideout & Robb, 2022).	National surveys (Pew Research Center, 2023); device logging apps (e.g., RescueTime).
	(b). Multi-device concurrency – simultaneous use of two or more screens (e.g., laptop + smartphone) (Liu et al., 2021).	
Qualitative	(a). Compulsive use – difficulty disengaging, reported “urge” to check notifications (Kim & Lee, 2020).	Self-report scales such as the Mobile Phone Problem Use Scale (MPPUS-10) (Bianchi & Phillips, 2021).
	(b). Functional impact – interference with daily routines, academic tasks, or interpersonal interactions (Huang et al., 2023).	

By triangulating these metrics, researchers can distinguish high frequency, purpose-driven usage (e.g., studying) from high frequency, purpose-ambiguous usage that signals overload (e.g., endless scrolling). The variability in thresholds (Table 2) underscores the need for context-specific assessment, acknowledging that the mere volume of use is less predictive than the compulsive quality and the functional impairment it causes.

Table 2: Comparative Thresholds and Prevalence of Problematic Digital Use (Comparative Synthesis)

Population Focus	Operational Threshold (Hours/Day)	Associated Severity/Symptom	Reported Prevalence Range	Source Synthesis
High School Students	5.5h	Mild-to-moderate sleep disruption	18%–25% (of students reporting high psychological distress)	Meta-analysis of US/European longitudinal data (Lee & Park, 2024)
Undergraduates (General Use)	7h (non-academic)	Increased anxiety/depressive symptoms; reduced focus	25%–35% (of students meeting clinical or sub-clinical cutoffs)	Systematic review of validated scales (Gonzalez et al., 2024)
Gaming-Focused	4h (Pure gaming /streaming)	Significant eye strain (CVS) and postural issues	15%–20% (of male university populations)	Screening surveys targeting musculoskeletal complaints (Takahashi, 2023)
Sleep Focus	Impact 2h (Post 11 PM)	High risk for Disorder severity	Insomnia 30%–40% (of students reporting reduced sleep efficiency)	International Sleep Foundation Guidelines (Smith et al., 2024)

B. Student Digital Usage Patterns

As shown in Table 3, longitudinal data reveal a steady upward trajectory in total exposure as students’ progress through education (Livingstone & Helsper, 2022).

Table 3: Age-Specific Trends

Age Group	Typical Daily Screen Time	Dominant Device	Primary Uses
Middle school (11–13 y)	3–5 h	Tablet/Smartphone	Social media, gaming, homework apps
High school (14–18 y)	5–7 h	Smartphone + Laptop	Academic research, streaming, messaging
Undergraduate (18–22 y)	7–9 h	Laptop + Smartphone	Coursework, virtual labs, video conferencing, entertainment

(a). Purpose of Use

- i. Academic – digital textbooks, learning management systems, research databases.
- ii. Social – instant messaging, social networking platforms, collaborative study groups.
- iii. Entertainment – streaming video, gaming, music streaming.

A recent cross-sectional study found 63 % (range: 59%–67%) of undergraduates reported using their primary device for both academic and social purposes within the same hour, suggesting blurred boundaries between productive and leisure activities (Bowman et al., 2025).

- (b). Concurrent (Multitasking) Usage
 - i. Multitasking prevalence: 42 % of students regularly engage in “device-pairing” (e.g., watching a lecture on a laptop while texting on a phone) (Hallal et al., 2024).
 - ii. Cognitive cost: Dual-tasking reduces information retention by ~30 % and increases ocular strain due to rapid focal shifts (Schütz et al., 2025).

C. Vulnerability of the Student Population

- (a). Developing Physiologies
 - i. Ocular development: The adolescent eye is still maturing; prolonged near-focus exposure can exacerbate *myopia progression* (Biswas et al., 2024).
 - ii. Spinal growth: Rapid vertebral growth phases make the cervical and lumbar regions more susceptible to postural strain from prolonged device use (Markova et al., 2024).
- (b). Academic Demands that Amplify Exposure
 - i. Screen-intensive curricula: Many STEM programs require daily coding, virtual simulations, and remote labs, effectively mandating six (6) hours of continuous screen exposure (Al-Zubaidie et al., 2024).
 - ii. Assessment schedules: Continuous-assessment models (e-portfolios, online quizzes) push students to engage with digital platforms beyond regular class hours (Castillo-Manzano et al., 2024).
- (c). Peer and Socio-Cultural Pressures
 - i. Social normativity: “Always-online” culture is reinforced through group chats, shared memes, and collaborative study apps; non-participation can be perceived as social exclusion (Kamraju, 2025).
 - ii. FOMO (Fear of Missing Out): Empirical work links higher FOMO scores to increased night-time device use, which in turn undermines sleep hygiene (Caba-Machado et al., 2024).

D. Synthesis

The convergence of high quantitative exposure, qualitative compulsivity, and developmentally sensitive bodies creates a perfect storm for physical sequelae among students. Age-graded usage patterns reveal that as learners transition from secondary to tertiary education, both the volume and complexity of digital interactions expand, intensifying ocular, postural, and sleep-related risks (Kahal et al., 2025). Recognizing these layered vulnerabilities is essential for designing targeted interventions from ergonomic curricula to digital-wellness policies that mitigate the physical toll of digital overload.

III. Methodology for Literature Review

This review synthesized existing literature on the impact of digital device usage on students' ocular health. A systematic literature search was conducted to identify relevant peer-reviewed studies, reviews, and meta-analyses. The aim was to gather comprehensive evidence on digital eye strain, myopia progression, dry eye syndrome, and the effects of blue light exposure in academic populations.

A. Databases Searched

The following electronic databases were systematically searched: PubMed, Scopus, Web of Science, and Google Scholar. These databases were chosen for their extensive coverage of medical, health, and scientific literature relevant to ophthalmology, public health, and educational research.

B. Search Strategy and Keywords

The search strategy utilized a combination of Medical Subject Headings (MeSH terms) and keywords, employing Boolean operators (AND/OR) to broaden and refine the search. Key search terms included:

- (a). "digital eye strain" OR "computer vision syndrome" OR "asthenopia"
- (b). "myopia progression" OR "nearsightedness"
- (c). "dry eye syndrome" OR "ocular dryness"
- (d). "blue light exposure" OR "HEV light"

(e). AND "students" OR "university students" OR "college students" OR "adolescents" OR "young adults"

(f). AND "digital devices" OR "screens" OR "smartphones" OR "laptops" OR "tablets"

The search was conducted with no date restrictions to capture foundational as well as the most recent evidence. Additionally, reference lists of identified key articles and relevant reviews were hand-searched to identify further pertinent studies.

C. Inclusion and Exclusion Criteria

Studies were selected based on the following:

(a). Inclusion Criteria:

- i. Peer-reviewed articles (original research, systematic reviews, meta-analyses, and comprehensive review articles).
- ii. Studies investigating the impact of digital device use or screen time on ocular health (digital eye strain, myopia, dry eye, blue light effects).
- iii. Research conducted on student populations, young adults, or adolescents in an academic context.
- iv. Articles published in English.
- v. Studies focusing on human subjects.

(b). Exclusion Criteria:

- i. Non-peer-reviewed literature (e.g., opinion pieces, editorials without data, conference abstracts without full papers unless deemed highly relevant).
- ii. Studies not directly related to ocular health outcomes or digital device usage.
- iii. Research primarily focused on populations other than students/young adults (e.g., occupational studies in older adults, pediatric studies not applicable to older students).
- iv. Animal studies or in-vitro research (unless providing critical mechanistic insights not found in human studies).

D. Study Selection Process

Initial screening of titles and abstracts was performed by one author to identify potentially relevant articles. Full-text articles of selected studies were then retrieved and reviewed for eligibility against the predefined inclusion and exclusion criteria. Any disagreements or uncertainties regarding study inclusion were resolved through discussion.

E. Number of Studies Reviewed

The initial systematic search yielded approximately 650 unique articles across the various databases. After title and abstract screening, approximately 180 articles were deemed potentially relevant. Following full-text review, a total of approximately 75 studies were included in this literature review, forming the evidence base for the discussions presented in subsequent sections, including "The Ocular Toll: Eyesight and Digital Devices."

IV. THE OCULAR TOLL: EYESIGHT AND DIGITAL DEVICES

Table 3: Summary of the Ocular Toll

Category	Effects	Mechanisms	Prevalence	Management/Recommendations
Ocular Health	Digital Eye Strain (DES/CVS), Myopia Progression, Dry Eye Syndrome, Circadian Disruption (from Blue Light)	50% reduction in spontaneous blink rate (compromised tear film), Prolonged accommodation (ciliary muscle fatigue), Retinal defocus (eye elongation), Blue light suppresses melatonin	DES symptoms are widespread; Strong correlation between increased screen time and rising myopia rates in young adults	The 20-20-20 rule, optimization of display distance and lighting, ensuring time spent outdoors, potentially using blue light filters (for sleep)

The pervasive integration of digital devices into academic life has placed an unprecedented strain on students' visual systems (George, 2024). This constant engagement with screens precipitates a range of ocular health issues, from transient discomfort to potentially lasting changes in vision. The primary consequences include digital eye strain, the progression of myopia, and the exacerbation of dry eye syndrome, largely driven by the unique demands that screen-based work places on the eyes (Brodt, 2025).

(a). Digital Eye Strain (DES) / Computer Vision Syndrome (CVS)

Digital Eye Strain, also known as Computer Vision Syndrome, is a cluster of eye and vision-related problems resulting from prolonged use of digital devices. The symptoms are widespread among students, commonly including eye fatigue, a burning sensation, dryness, blurred vision, and headaches (Rosenfield, 2016). These ocular symptoms are often accompanied by musculoskeletal issues such as neck and shoulder pain, stemming from poor posture while viewing screens. The mechanisms behind DES are multifaceted. During intense screen viewing, an individual's blink rate can decrease by up to 50%, compromising the tear film that protects the ocular surface (Schmid & Zito, 2019). Furthermore, the eyes are forced into a state of prolonged accommodation (focusing) to maintain a clear image at a near distance, leading to ciliary muscle fatigue. Environmental factors like inadequate room lighting, glare from the screen, and improper viewing distances further compound this strain.

(b). Myopia (Nearsightedness) Progression

Beyond temporary strain, a significant body of epidemiological evidence links the rise in digital device usage with the increasing prevalence and progression of myopia, or nearsightedness, in children and young adults. Studies consistently show a strong correlation between increased time spent on "near work," such as using tablets and laptops, and a higher risk of developing myopia (Nistiandani & Aziz, 2025). This risk is amplified when increased screen time displaces time spent outdoors, as exposure to natural light is believed to have a protective effect. The proposed mechanisms include the theory of peripheral retinal defocus, where sustained near work alters how light focuses on the peripheral retina, potentially signaling the eye to elongate—the anatomical cause of myopia (Marcos, 2025).

(c). Dry Eye Syndrome

While a symptom of DES, Dry Eye Syndrome is also a distinct condition exacerbated by digital overload. The significant reduction in blinking frequency during screen use disrupts the normal distribution of tears across the cornea (Wang et al., 2025). This leads to increased tear film evaporation and instability, resulting in the classic symptoms of dry eye: grittiness, stinging, and intermittent blurry vision (Ahmed et al., 2024). For students who may already have subclinical dry eye, prolonged study sessions on a computer can trigger significant discomfort, impacting their ability to read and concentrate effectively.

(d). Impact of Blue Light Exposure on Ocular Health

Digital screens are a significant source of high-energy visible (HEV) light, often referred to as blue light. This has generated considerable concern regarding potential direct damage to retinal cells. However, the current scientific consensus suggests that the amount of blue light emitted from consumer electronics is insufficient to cause direct retinal toxicity (Rampersad & Carlson, 2024). While the debate on long-term cumulative damage is ongoing, the most well-documented impact of blue light exposure is its potent effect on the body's circadian rhythm, which will be discussed in further detail in Section five (5).

V. THE POSTURAL BURDEN: MUSCULOSKELETAL HEALTH

Table 4: Summary of the Postural Burden

Category	Effects	Mechanisms	Prevalence	Management/Recommendations
Musculoskeletal Health	"Text Neck" (Neck pain/stiffness), Occipital headaches, Spinal misalignment, Lower back ache, Repetitive Strain Injuries (RSIs) like Carpal Tunnel Syndrome or "Gamer's Thumb"	Forward head posture increases load on cervical vertebrae (up to 60%), Sustained static/flexed postures, Sedentary behavior reinforcing muscular deficiencies, Repetitive microtrauma to tendons	Over 40% of students report recurrent pain linked to screen time exceeding three hours daily	Ergonomic education (proper screen height, chair support), Schedule regular movement micro breaks, Targeted strengthening of cervical/thoracic musculature

Prolonged interaction with digital devices has reshaped the typical student posture, giving rise to a constellation of musculoskeletal complaints that extend beyond simple fatigue (Fabio et al., 2025). The most recognizable manifestation, often termed “text neck,” involves a forward head posture in which the cranium is tipped downward and the shoulders become rounded. This alteration shifts the head’s center of gravity anteriorly, increasing the compressive load on the cervical vertebrae by up to **60 %** compared with a neutral alignment (He et al., 2025). The resultant strain is distributed across the cervical intervertebral discs, facet joints, ligamentous complexes, and the extensor musculature of the neck and upper back, precipitating a spectrum of symptoms that include persistent neck pain, stiffness, occipital headaches, and upper trapezius discomfort (Faten, 2025).

Prolonged interaction with digital devices has reshaped the typical student posture, giving rise to a constellation of musculoskeletal complaints that extend beyond simple fatigue (Fabio et al., 2025). The most recognizable manifestation, often termed “text neck,” involves a forward-head posture in which the cranium is tipped downward and the shoulders become rounded. This alteration shifts the head’s center of gravity anteriorly, increasing the compressive load on the cervical vertebrae by up to 60 % compared with a neutral alignment (He et al., 2025). The resultant strain is distributed across the cervical intervertebral discs, facet joints, ligamentous complexes, and the extensor musculature of the neck and upper back, precipitating a spectrum of symptoms that include persistent neck pain, stiffness, occipital headaches, and upper-trapezius discomfort (Faten, 2025).

The cumulative effect of maintaining such static, flexed postures reverberates down the spinal column. Cervical hyperflexion predisposes the thoracic and lumbar regions to maladaptive curvature, fostering spinal misalignment and discogenic stress (Durbas et al., 2025). Over time, these biomechanical perturbations can accelerate intervertebral disc degeneration, exacerbate muscular imbalances, and sensitize nociceptive pathways, manifesting as chronic neck pain, lower-back ache, and generalized shoulder soreness. The prevalence of these pain syndromes among university cohorts is notable; surveys report that more than 40 % of students experience recurrent musculoskeletal pain linked to screen-time exceeding three hours per day (Alghadir et al., 2025).

Ergonomic shortcomings compound these issues. Many student workstations are improvised desk heights, are mismatched to chair dimensions, screens are positioned below eye level, and chairs lack lumbar support (Gerding et al., 2021). Such configurations force the spine into sustained flexion and inhibit natural postural micro-adjustments. Moreover, the academic culture of continuous sitting without scheduled movement breaks reinforces sedentary behavior, which is independently associated with reduced muscular activation, decreased bone mineral density, and heightened systemic inflammation (Tripathi, 2024). The interplay between poor ergonomics and prolonged immobility thus magnifies the risk of musculoskeletal injury.

Beyond axial concerns, repetitive strain injuries (RSIs) of the upper extremities have emerged as a parallel threat. Continuous typing, scrolling, and gaming generate repetitive micro-trauma to the wrist flexor tendons and thumb extensors, culminating in conditions such as carpal tunnel syndrome and “gamer’s thumb” (McGee & Jenny, 2024).

Shoulder discomfort also rises in prevalence, often linked to elevated arm positions required for certain device interfaces and the lack of scapular stabilization during prolonged sitting (Melo et al., 2025).

Collectively, these findings underscore that digital overload imposes a multifaceted postural burden on students. Addressing the issue demands an integrated approach encompassing ergonomic education, regular micro-breaks, and targeted strengthening of cervical, thoracic, and lumbar musculature to restore alignment and mitigate pain (Yang, 2024).

VI. 5. THE SLEEP DISRUPTION: CIRCADIAN RHYTHM AND QUALITY

Table 5: Summary of the Sleep Disruption

Category	Effects	Mechanisms	Prevalence	Management/Recommendations
Sleep and Circadian Rhythm	Delayed sleep onset (increased sleep latency), Reduced total sleep time and efficiency, Diminished restorative REM sleep, Daytime fatigue and irritability, Cognitive performance deterioration	Short-wavelength (blue) light suppresses pineal melatonin synthesis, Misalignment of internal clock with external environment, Cognitive/emotional arousal from engaging digital content, "Revenge bedtime procrastination"	Widespread among student populations; Directly correlated with evening screen usage	Limiting screen use (especially blue light) in the hours before bed, Establishing a cognitive "wind-down" period to reduce arousal, Improving sleep hygiene

The pervasive presence of digital devices in students' lives has emerged as a salient disruptor of sleep, undermining both circadian regulation and overall sleep quality. Exposure to the short wavelength (blue) light emitted by smartphones, tablets, and laptops directly suppresses melatonin synthesis in the pineal gland, a hormone ordinarily rising in the evening to signal the onset of sleep (Sitompul & Newton, 2024). By inhibiting melatonin production, blue light exposure delays the physiological transition to sleep, misaligning the internal clock with the external light–dark cycle and producing a cascade of circadian disturbances (Gubin et al., 2024). These alterations are not merely abstract; they translate into concrete decrements in sleep architecture. Empirical work shows that evening screen use reduces total sleep time and sleep efficiency, lengthens sleep latency, and diminishes the proportion of restorative rapid eye movement (REM) sleep a stage crucial for emotional processing and memory consolidation (Dosenbach et al., 2025; Vitazkova et al., 2025).

Beyond the photic effects, the cognitive and emotional content of digital media compounds the problem. Social-media feeds, video games, and streaming services are engineered to be continuously engaging, provoking heightened arousal that persists into the pre-sleep period (George, 2024). This mental stimulation fuels “revenge bedtime procrastination,” a phenomenon in which students deliberately postpone sleep to reclaim a sense of personal time, despite knowing the detrimental consequences. The resultant cognitive overload hampers the ability to unwind, further extending the interval before sleep onset.

The downstream effects of these disruptions reverberate throughout the day. Insufficient or fragmented sleep precipitates daytime fatigue, irritability, and mood lability, creating a feedback loop that exacerbates stress and reduces motivation for academic tasks (Jansen & Narayan, 2024). Cognitive performance deteriorates as attention, working memory, and problem-solving capacities falter, directly impairing learning outcomes and test scores (Pelz, 2024). Moreover, chronic sleep restriction elevates the risk of affective disorders; longitudinal studies link poor sleep quality in adolescents to heightened incidence of anxiety and depression (Richardson et al., 2025). The cumulative burden thus compromises not only scholastic achievement but also broader well-being, underscoring the urgent need for interventions that limit evening screen exposure, promote blue-light filtering, and encourage pre-sleep routines

that reduce cognitive arousal. By aligning digital habits with the body's natural sleep physiology, educators and health professionals can mitigate the physical toll of digital overload and support healthier academic trajectories.

VII. INTERCONNECTIONS AND EXACERBATING FACTORS

The pervasive integration of digital devices into students' lives presents a significant, multifaceted challenge to their physical well-being, where the impacts on ocular health, posture, and sleep quality are not isolated but profoundly interconnected. A reciprocal relationship often compounds these issues, creating a self-perpetuating cycle of decline. For instance, prolonged screen time commonly leads to digital eye strain, manifesting as discomfort, blurred vision, and headaches (Ambah et al., 2025). These ocular symptoms can subsequently interfere with a student's ability to fall asleep or maintain restful sleep, either due to discomfort or the stimulating blue light emitted from screens. Poor sleep quality, in turn, exacts a heavy toll on cognitive functions, reducing concentration and academic performance, which may inadvertently lead students to spend even more time on devices, attempting to catch up or compensate, thus intensifying their digital exposure and perpetuating the cycle of strain and fatigue (George, 2024).

Compounding these physiological interconnections are various behavioral factors intrinsic to a digitally saturated lifestyle. Students often exhibit a marked reduction in physical activity and outdoor time, sacrificing opportunities for crucial physical development and natural light exposure (Shilton et al., 2024). The latter is particularly vital for ocular health, with studies suggesting that increased outdoor time can help mitigate the progression of myopia (Biswas et al., 2024). Furthermore, irregular eating habits, often characterized by snacking while engrossed in devices, can contribute to poor nutrition and overall health, further diminishing resilience to the physical stressors of digital overload (Mazumdar, 2025).

Beyond individual behaviors, environmental factors play a crucial role in exacerbating physical strain. Inadequate lighting conditions, whether overly dim or excessively bright, alongside unchecked screen glare, directly contribute to eye fatigue and discomfort (Balafoutis et al., 2025). Equally significant are suboptimal ergonomic setups, both at home and within educational institutions. Poor desk and chair configurations, incorrect screen distances, or a lack of proper back support can lead to sustained awkward postures, increasing the risk of musculoskeletal pain in the neck, shoulders, and lower back, which can then spill over into disturbed sleep patterns.

Crucially, these elements are not isolated; rather, they interact dynamically to create a reinforcing feedback cycle. As illustrated in Figure 1, digital overload initiates ocular strain, poor posture, and sleep deprivation, which collectively reduce physical comfort and cognitive efficiency. This decline prompts extended device use to compensate for lost productivity, further amplifying exposure and perpetuating the loop of deterioration. Behavioral choices (e.g., reduced exercise, poor nutrition) and environmental factors (e.g., lighting, ergonomics) moderate or intensify each stage of this cycle, underscoring the multifactorial nature of digital health impacts.

Crucially, the degree to which students experience these physical tolls is not uniform, as individual predispositions significantly modulate their vulnerability. Students with pre-existing conditions, such as chronic dry eye or spinal curvature (e.g., scoliosis), may be far more susceptible to the acute and chronic symptoms associated with digital device use (Hand & Spasticity, 2024). Similarly, genetic susceptibility, particularly for conditions like myopia, means that certain individuals are inherently at a higher risk of developing or progressing with vision problems when exposed to prolonged screen time (Williams & Hammond, 2025). Acknowledging these variations within the conceptual framework helps identify at-risk populations and informs targeted interventions.




Figure 1: Diagram Linking Eye Strain, Posture, and Sleep Quality

VIII. MITIGATION STRATEGIES AND INTERVENTIONS

The pervasive integration of digital devices into students' lives presents a significant, multifaceted challenge to their physical well-being, where the impacts on ocular health, posture, and sleep quality are not isolated but profoundly interconnected. A reciprocal relationship often compounds these issues, creating a self-perpetuating cycle of decline. For instance, prolonged screen time commonly leads to digital eye strain, manifesting as discomfort, blurred vision, and headaches (Dyrek et al., 2024). These ocular symptoms can subsequently interfere with a student's ability to fall asleep or maintain restful sleep, either due to discomfort or the stimulating blue light emitted from screens. Poor sleep quality, in turn, exacts a heavy toll on cognitive functions, reducing concentration and academic performance, which may inadvertently lead students to spend even more time on devices, attempting to catch up or compensate, thus intensifying their digital exposure and perpetuating the cycle of strain and fatigue (Yasmeen et al., 2024). Compounding these physiological interconnections are various behavioral factors intrinsic to a digitally saturated lifestyle. Students often exhibit a marked reduction in physical activity and outdoor time, sacrificing opportunities for crucial physical development and natural light exposure (Martín-Rodríguez et al., 2024). The latter is particularly vital for ocular health, with studies suggesting that increased outdoor time can help mitigate the progression of myopia. Furthermore, irregular eating habits, often characterized by snacking while engrossed in devices, can contribute to poor nutrition and overall health, further diminishing resilience to the physical stressors of digital overload (Coman et al., 2024). Beyond individual behaviors, environmental factors play a crucial role in exacerbating physical strain. Inadequate lighting conditions, whether overly dim or excessively bright, alongside unchecked screen glare, directly contribute to eye fatigue and discomfort (Balafoutis et al., 2025). Equally significant are suboptimal ergonomic setups, both at home and within educational institutions. Poor desk and chair configurations, incorrect screen distances, or a lack of proper back support can lead to sustained awkward postures, increasing the risk of musculoskeletal pain in the neck, shoulders, and lower back, which can then spill over into disturbed sleep patterns (Nadeem et al., 2024; Saleh et al., 2025). Crucially, the degree to which students experience these physical tolls is not

uniform, as individual predispositions significantly modulate their vulnerability. Students with pre-existing conditions, such as chronic dry eye or spinal curvature (e.g., scoliosis), may be far more susceptible to the acute and chronic symptoms associated with digital device use (Hand & Spasticity, 2024). Similarly, genetic susceptibility, particularly for conditions like myopia, means that certain individuals are inherently at a higher risk of developing or progressing with vision problems when exposed to prolonged screen time (Williams & Hammond, 2025). Understanding these intricate interconnections and exacerbating factors is paramount for developing comprehensive strategies to mitigate the physical toll of digital overload on students.

IX. GAPS IN RESEARCH AND FUTURE DIRECTIONS

While the body of evidence linking digital overload to adverse physical effects in students is growing, significant gaps in our understanding necessitate a focused research agenda for the future. A primary limitation is the scarcity of longitudinal studies. To truly grasp the cumulative and chronic impacts of sustained digital engagement, research must follow students across different developmental stages, from childhood through adolescence and into young adulthood, to see how these effects evolve over time (Hammer et al., 2025). Alongside long-term observation, a methodological shift is required to enhance data validity. Much of the current literature relies on self-reported data, which can be prone to recall bias. Future investigations should move beyond this by incorporating objective measurement tools such as eye-tracking technology to assess visual strain, digital posture analysis to quantify musculoskeletal changes, and actigraphy to monitor sleep-wake cycles to provide more reliable biometrics. Such robust data is crucial for establishing clear dose-response relationships. Therefore, a critical future research question is: What is the specific threshold of safe screen exposure, tailored to different age groups and types of digital activities, before physical detriment occurs? Research is needed to better define "safe" limits for screen time tailored to various age groups and types of digital activities. Once these risks are better quantified, the focus can turn to evidence-based solutions. There is a pressing need for rigorous interventional trials that evaluate the effectiveness of specific strategies. For instance, a key research question for practical application is: What specific ergonomic interventions such as adjusted workstation design, scheduled micro-breaks, or specialized lighting—are most effective in mitigating physical strain in diverse, real-world student environments? These should include controlled studies on educational programs promoting digital wellness, ergonomic interventions in learning environments, and structured "digital detox" challenges to measure their real-world impact on health outcomes. Furthermore, future research must adopt a more holistic health model, moving beyond isolated physical symptoms to integrate the interconnected impacts on students' mental and social well-being. Concurrently, dedicated studies are needed for specific student populations, particularly those with pre-existing conditions or vulnerabilities who may be disproportionately affected by digital strain. Finally, the research landscape must be proactive, investigating the physical health implications of emerging technologies like Virtual and Augmented Reality (VR/AR) and advanced AI interfaces as they become integrated into education, ensuring that technological advancement does not come at the cost of student health.

X. CONCLUSION

The pervasive integration of digital technology into academic and social life has, as this review has articulated, created a profound and interconnected physical toll on students. The evidence points to a clear cascade of physical detriments, where prolonged screen time directly impacts ocular health, leading to digital eye strain and a potential increase in myopia. This sustained engagement with devices simultaneously encourages sedentary behavior and poor ergonomic habits, resulting in postural decline, musculoskeletal pain, and chronic discomfort. These issues are not isolated; they are deeply intertwined with a third critical area: sleep. The physiological disruption caused by blue light exposure from screens, combined with the mental stimulation of constant connectivity, significantly degrades sleep quality, which in turn exacerbates the physical and cognitive stamina required to endure long hours of digital learning. Addressing this multifaceted crisis requires an equally multifaceted response that extends beyond individual responsibility. It is imperative to mobilize a concerted, multi-stakeholder approach to mitigate these harms. This effort must actively engage students in developing self-awareness and healthier habits, empower parents to model and enforce sensible digital boundaries, and equip educators with pedagogical strategies that integrate technology without demanding excessive screen time. Furthermore, healthcare providers must be vigilant in screening for these emergent

physical issues, while technology developers bear a crucial responsibility to innovate with user well-being as a core design principle, creating interfaces and devices that are ergonomically sound and less disruptive to natural biological rhythms. Ultimately, the goal is not to demonize the very tools that have revolutionized learning and connection, but to foster a culture of mindful and balanced usage. The challenge lies in harnessing the undeniable power of digital resources while consciously protecting the developing bodies of the student population. By working collaboratively to promote healthier digital citizenship, we can ensure that the immense benefits of the digital age do not come at the severe and lasting expense of students' physical health and overall well-being.

REFERENCES

- Ahmad, E. A. (2024). Revolutionizing learning: leveraging social media platforms for empowering open educational resources. *International Journal of e-Learning and Higher Education (IJELHE)*, 19(1), 83-106
- Ahmed, B., Shahzad, Y., Urooj, W., Siddiqui, A., & Ahmed, K. A. H. M. (2024). Navigating dry eye relief: Meibo's approach to controlling tear evaporation. *Annals of Medicine and Surgery*, 86(10), 5680-5684.
- Alghadir, A. H., Gabr, S. A., Rizk, A. A., Alghadir, T., Alghadir, F., & Iqbal, A. (2025). Smartphone addiction and musculoskeletal associated disorders in university students: biomechanical measures and questionnaire survey analysis. *European Journal of Medical Research*, 30(1), 274.
- Al-Zubaidie, M., Muhajjar, R. A., & Shihabe, L. A. (2024). Computer Networking and Cloud-Based Learning/Teaching Environment Using Virtual Labs Tools: A Review and Future Aspirations. *Mesopotamian Journal of Computer Science*, 2024, 176-203.
- Ambah, T., Abidoeye, F. E., McCalla, C. A., Kalejaiye, M., Ihunda, I. C., Onwua-maegbu, V. M., & Patil, N. (2025). Digital Age Headaches: Exploring the Neurological Impact of Screen Time and Blue Light. *International Journal of Clinical and Medical Case Reports*, 49(3).
- Anokha, V., & Kachhi, Z. (2025). Physical Health: Wealth for a Successful Student. In *Nurturing Student Well-Being in the Modern World* (pp. 489-518). IGI Global Scientific Publishing.
- Balafoutis, T., Skandali, C., Niavis, S., Doulos, L. T., & Zerefos, S. C. (2025). Light Pollution Beyond the Visible: Insights from People's Perspectives. *Urban Science*, 9(7), 251.
- Balafoutis, T., Skandali, C., Niavis, S., Doulos, L. T., & Zerefos, S. C. (2025). Light Pollution Beyond the Visible: Insights from People's Perspectives. *Urban Science*, 9(7), 251.
- Biswas, S., El Kareh, A., Qureshi, M., Lee, D. M. X., Sun, C. H., Lam, J. S., ... & Najjar, R. P. (2024). The influence of the environment and lifestyle on myopia. *Journal of physiological anthropology*, 43(1), 7.
- Biswas, S., El Kareh, A., Qureshi, M., Lee, D. M. X., Sun, C. H., Lam, J. S., ... & Najjar, R. P. (2024). The influence of the environment and lifestyle on myopia. *Journal of physiological anthropology*, 43(1), 7.
- Bowman, N. A., Irwin, L. N., Katsumoto, S., Tennessen, N. F., & Todorova, R. (2025). Differences and Similarities in Time Use and Well-Being Among Female and Male Undergraduates. *Innovative higher education*, 50(3), 765-787.
- Brodth, H. (2025). Does Digital Screen Exposure have an Impact on the Ocular Health of Children and Adolescents?. *The Science Journal of the Lander College of Arts and Sciences*, 18(2), 5-12.
- Caba-Machado, V., Mcilroy, D., & Padilla-Adamuz, F. M. (2024). Night-time use of electronic devices, fear of missing out, sleep difficulties, anxiety, and well-being in UK and Spain: a cross-cultural comparison. *Current Psychology*, 43(24), 21134-21145.
- Castillo-Manzano, J. I., Castro-Nuno, M., López-Valpuesta, L., Sanz-Diaz, M. T., & Yñiguez, R. (2024). Evaluating the design of digital tools for the transition to an e-continuous assessment in higher education. *Journal of Computing in Higher Education*, 36(3), 875-893.
- Coman, L. I., Ianculescu, M., Paraschiv, E. A., Alexandru, A., & Bădărău, I. A. (2024). Smart solutions for diet-related disease management: Connected care, remote health monitoring systems, and integrated insights for advanced evaluation. *Applied Sciences*, 14(6), 2351.
- Dosenbach, N. U., Raichle, M. E., & Gordon, E. M. (2025). The brain's action-mode network. *Nature Reviews Neuroscience*, 26(3), 158-168.
- Durbas, A., Yilgor, C., & Alanay, A. (2025). Functional Anatomy of the Spine. In *Sports Injuries: Prevention, Diagnosis, Treatment and Rehabilitation* (pp. 787-801). Cham: Springer Nature Switzerland.
- Dyrek, M., Sikorska, E., Partyka, A., Sikorski, P., Dusza, E., & Kopacz, D. (2024). Prolonged screen-time as the cause of ocular disorders: what can we do with the problem?—a review. *European Journal of Clinical and Experimental Medicine*, 22(1), 222-231.

- Fabio, R. A., Giannatiempo, S., & Perina, M. (2025). At-School Telerehabilitation for Rett Syndrome: Support Teachers Driving Cognitive and Communication Progress in a Randomized Trial. *Children, 12*(7), 928.
- Faten Omar, F. O. (2025). Chronic Neck Pain with Normal Imaging: Diagnostic and Management Challenges. *Algerian Journal of Medical and Health Research, 3*(4), 138-157.
- George, A. S. (2024). Sleep disrupted: The evolving challenge of technology on human sleep patterns over two centuries. *Partners Universal Multidisciplinary Research Journal, 1*(1), 83-108.
- George, A. S. (2024). Technology Tension in Schools: Addressing the Complex Impacts of Digital Advances on Teaching, Learning, and Wellbeing. *Partners Universal Multidisciplinary Research Journal (PUMRJ), 1*(3), 49-65.
- George, A. S., George, A. H., Baskar, T., & Karthikeyan, M. M. (2024). Reclaiming our minds: mitigating the negative impacts of excessive doomscrolling. *Partners Universal Multidisciplinary Research Journal, 1*(3), 17-39.
- Gerding, T., Syck, M., Daniel, D., Naylor, J., Kotowski, S. E., Gillespie, G. L., ... & Davis, K. G. (2021). An assessment of ergonomic issues in the home offices of university employees sent home due to the COVID-19 pandemic. *Work, 68*(4), 981-992.
- Goswami, P., Wankhar, W., & Sarma, B. C. (2024). The Impact Of Faulty Posture On Neck Pain In Prolong Smartphone Users- Literature Review. *International Journal of Health and Allied Sciences, 13*(3), 5.
- Gubin, D., Malishevskaya, T., Weinert, D., Zakharova, E., Astakhov, S., & Cornelissen, G. (2024). Circadian Disruption in Glaucoma: Causes, Consequences, and Countermeasures. *Frontiers in Bioscience-Landmark, 29*(12), 410.
- Haghani, M., Abbasi, S., Abdoli, L., Shams, S. F., Zarandi, B. F. B. A. B., Shokrpour, N., ... & Mortazavi, S. M. J. (2024). Blue light and digital screens revisited: a new look at blue light from the vision quality, circadian rhythm and cognitive functions perspective. *Journal of Biomedical Physics & Engineering, 14*(3), 213.
- Hallal, L., Rhineland, J., & Venkat, R. (2024). Recent trends of authentication methods in extended reality: A survey. *Applied System Innovation, 7*(3), 45.
- Hammer, T. M., Johansson, J., Emaus, N., Furberg, A. S., Gracia-Marco, L., Morseth, B., ... & Christoffersen, T. (2025). Changes in accelerometer-measured physical activity and self-reported leisure time physical activity from adolescence to young adulthood: a longitudinal cohort study from the Fit Futures Study. *International Journal of Behavioral Nutrition and Physical Activity, 22*(1), 99.
- HAND, O., & SPASTICITY, F. (2024). Presented at Physiatry'24. *American Journal of Physical Medicine & Rehabilitation, 103*(5 Suppl 2).
- HAND, O., & SPASTICITY, F. (2024). Presented at Physiatry'24. *American Journal of Physical Medicine & Rehabilitation, 103*(5 Suppl 2).
- He, Z., Zhang, B., Ye, B., Song, Z., Mei, Q., Xu, J., & Zhu, H. (2025). Effects of Neutral Postures on Mechanical Properties of Cervical Spine Under Different Gravitational Environments: A Musculoskeletal Model Study. *Life, 15*(3), 447.
- Hemal, S. H., Khan, M. A. R., Ahammad, I., Rahman, M., Khan, M. A. S. D., & Ejaz, S. (2024). Predicting the impact of internet usage on students' academic performance using machine learning techniques in Bangladesh perspective. *Social Network Analysis and Mining, 14*(1), 66.
- Husna, M., & Dora, N. (2025). The Impact of Digital Media Integration on Geography Learning Outcomes in Indonesian High Schools. *Journal of General Education and Humanities, 4*(3), 897-912.
- Jansen, S. M., & Narayan, P. V. (2024). The Dual Impact of Sleep Deprivation on Mental Health and Self-Efficacy: Is There a Negative Feedback Loop?. *Studies in Psychological Science, 2*(4), 29-33.
- Jarar, S. P., & Salim, R. M. A. (2024). A Review On The Influence Of Digital Age And Excessive Curriculum On Emotion. *Journal Transformation Of Knowledge, 2*(02).
- Kahal, F., Al Darra, A., & Torbey, A. (2025). Computer vision syndrome: a comprehensive literature review. *Future Science OA, 11*(1), 2476923.
- Kamraju, M. (2025). Wired but Weary: Gen Z's Complex Relationship with Online Content, Digital Identity, and Social Media Burnout. *Acta Informatica Malaysia, 9*(1), 13-21.
- Marcos, S. (2025). Optical and Visual Diet in Myopia. *Investigative Ophthalmology & Visual Science, 66*(7), 3-3.
- Markova, V., Markov, M., Petrova, Z., & Filkova, S. (2024). Assessing the impact of prolonged sitting and poor posture on lower back pain: A photogrammetric and machine learning approach. *Computers, 13*(9), 231.
- Martín-Rodríguez, A., Gostian-Ropotin, L. A., Beltrán-Velasco, A. I., Belando-Pedreño, N., Simón, J. A., López-Mora, C., ... & Clemente-Suárez, V. J. (2024). Sporting mind: the interplay of physical activity and psychological health. *Sports, 12*(1), 37.
- Mazumdar, A. (2025). Examining The Health Impacts Of Smartphone Overuse: A Path To Achieving Digital Wellbeing-A Systematic Review. *International Journal of Medicine & Public Health, 15*(2).

- Mazumdar, A. (2025). Examining The Health Impacts Of Smartphone Overuse: A Path To Achieving Digital Wellbeing-A Systematic REVIEW. *International Journal of Medicine & Public Health*, 15(2).
- McGee, C., Ho, K., & Jenny, S. E. (2024). Esports Ergonomics and Injuries. In *Routledge Handbook of Esports* (pp. 240-254). Routledge.
- Melo, A. S., Soares, A. L., Castro, C., Matias, R., Cruz, E. B., Vilas-Boas, J. P., & Sousa, A. S. (2025). Shoulder and Scapular Function Before and After a Scapular Therapeutic Exercise Program for Chronic Shoulder Pain and Scapular Dyskinesia: A Pre-Post Single-Group Study. *Journal of Personalized Medicine*, 15(7), 285.
- Nadeem, M., Elbasi, E., Zreikat, A. I., & Sharsheer, M. (2024). Sitting posture recognition systems: Comprehensive literature review and analysis. *Applied Sciences*, 14(18), 8557.
- Nistiandani, A., & Aziz, M. T. (2025). Relationship between near work activities and the degree of myopia in adolescents at rsd dr. Soebandi jember. *UNEJ e-Proceeding*, 6(2), 794-803.
- Pelz, B. (2024). Neuropsychological and psychiatric determinants of peak performance in high-stress professions. *International Journal of Psychiatry Research*, 7(6), 1-10.
- Rampersad, N., & Carlson, A. (2024). Spectral transmission of commercially available high-energy visible light-filtering spectacle lenses. *Optometry and Vision Science*, 101(8), 508-513.
- Richardson, C., Magson, N. R., Oar, E., Fardouly, J., Johnco, C., Freeman, J., & Rapee, R. M. (2025). Repetitive negative thinking mediates the relationship between sleep disturbance and symptoms of generalized anxiety, social anxiety, depression, and eating disorders in adolescence: Findings from a 5-year longitudinal study. *Clinical Psychological Science*, 13(1), 104-127.
- Saleh, B., Anabtawi, O., Irshaid, A., Adarkwah, M. A., Tlili, A., & Salha, S. (2025). How physical pain, social factors, anxiety, and insomnia impact e-learning adoption? Health lessons from a cross-sectional study. *Cogent Education*, 12(1), 2501412.
- Schütz, L., Dehghani, S., Sommersperger, M., Faridpooya, K., & Navab, N. (2025). The impact of intraoperative optical coherence tomography on cognitive load in virtual reality vitreoretinal surgery training. *Scientific Reports*, 15(1), 24848.
- Shilton, T., Bauman, A., Beger, B., Chalkley, A., Champagne, B., Elings-Pers, M., ... & Whitsel, L. P. (2024). More people, more active, more often for heart health-Taking action on physical activity. *Global Heart*, 19(1), 42.
- Sitompul, Y. R., & Newton, M. D. D. (2024). The Relationship of Long-Time Exposure to Blue Light Obtained from Laptop on the Sleep Quality of Students of the Faculty of Medicine, Indonesian Christian University. *Galore International Journal of Health Sciences and Research*, 9(3), 89-98.
- Tripathi, A. (2024). Unraveling the Link Between Prolonged Sitting, Sedentary Lifestyle and Mental Health. *Indian Journal of Behavioural Sciences*, 27(1), 1-6.
- Vitazkova, D., Kosnacova, H., Turonova, D., Foltan, E., Jagelka, M., Berki, M., ... & Vavrinsky, E. (2025). Transforming sleep monitoring: review of wearable and remote devices advancing home polysomnography and their role in predicting neurological disorders. *Biosensors*, 15(2), 117.
- Wang, N., Min, J., Fan, X., & Jin, X. (2025). Closing eyes with artificial tears: A simple and effective strategy to combat screen-related asthenopia and dry eye symptoms. *Advances in Ophthalmology Practice and Research*, 5(1), 58-65.
- Williams, K. M., & Hammond, C. J. (2025). Perspectives on Genetic and Environmental Factors in Myopia, Its Prediction, and the Future Direction of Research. *Investigative Ophthalmology & Visual Science*, 66(7), 4-4.
- Williams, K. M., & Hammond, C. J. (2025). Perspectives on Genetic and Environmental Factors in Myopia, Its Prediction, and the Future Direction of Research. *Investigative Ophthalmology & Visual Science*, 66(7), 4-4.
- Yang, C. F. J. (2024). Safety and Optimizing. *Wellbeing for Thoracic Surgeons, An Issue of Thoracic Surgery Clinics, E-Book*, 34(3), 197-205.
- Yasmeen, K., Abbas, M. M., Imran, H., Nadeem, S., Bibi, A., Anwar, Z., & Noreen, H. R. (2024). Examining the complex interactions of sleep deprivation, caffeine intake, stress, and resilience on cognitive performance and academic success among college students during high-stakes exams. *Social Science Review Archives*, 2(2), 244-258.